

**Dale F. Feichtinger, DDS  
2998 Ginnala Dr.  
Loveland, CO 80538  
970.669.1236**

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.


We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,



**Steven R. McArtor, DDS  
2898 Ginnala Dr.  
Loveland, CO 80538  
970.669.1236**

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

*Steven R. McArtor, DDS*



November 13, 2014

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

November 13, 2014

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED



**Rocky Mountain Dental**  
Leslie G. Johnson DDS  
1027 Robertson St.  
Fort Collins, CO 80524

November 13, 2014

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.


Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED



## TO THE LOVELAND UTILITIES COMMISSION:

November 13, 2014

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED



November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services.

Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

*Donna L. Ross, RDH*  
*Donna L. Ross, RDH*  
*Ft. Collins, CO*

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.


Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services.

Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,



Justyna A.P. 1420 DDS

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED



PEGGY DEROVITON, DDS

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.


Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services.

Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

A handwritten signature in black ink, appearing to read "Codi Carubia".

DP S

Codi Carubia DDS

## TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seeger, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until then, according to our counsel strongly, the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED



# IMPLANT & GENERAL™ DENTISTRY OF NORTHERN COLORADO

Ted E. Mioduski, Jr., D.D.S., P.C.

Diplomate  
American College  
of Oral Implantology  
International Congress  
of Oral Implantologists  
American Board  
of Special Care Dentistry

Fellow  
American Association  
of Hospital Dentists  
Pierre Fauchard Academy

Member  
American Academy  
of Implant Dentistry  
Academy of Osseointegration  
American Dental Association  
Colorado Dental Association

Nicole M. Ferrara, D.D.S., P.C.

Member  
International Congress  
of Oral Implantologists  
Academy of General Dentistry  
American Dental Association  
Colorado Dental Association  
American Academy of  
Dental Sleep Medicine  
American Academy  
of Sleep Medicine

Ted E. Mioduski, III, D.D.S., P.C.

Member  
International Congress  
of Oral Implantologists  
American Academy  
of Implant Dentistry  
Academy of General Dentistry  
American Dental Association  
Colorado Dental Association

- General Dentistry
- Implants - Surgery  
and Prosthetics
- Esthetic Dentistry
- Oral Surgery
- I.V. Sedations
- Sleep Apnea

Sundance Professional Centre  
2975 Ginnala Drive #100  
Loveland, CO 80538  
(970) 663-1000  
(970) 663-0615 Fax

Organizations may not be  
accredited by ADA

## TO THE LOVELAND UTILITIES COMMISSION

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and

members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise

Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as

effective in reducing dental caries over and above what personal hygiene and we dentists can

do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the

levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform

your advice to the city council and management about the overwhelming professional consensus—

including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that

recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment,

and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm.

That is the same target level at which Loveland had been fluoridating its water until 2010, when

the fluoridation program was unfortunately interrupted by the treatment plant expansion. It is our professional opinion, held in common by all signers, that there is no valid reason to

fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate,

at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish

a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents

of Loveland, we ask that you advise the city council and management that the water department

immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED

TED E. MIODUSKI, JR., DDS

# IMPLANT & GENERAL DENTISTRY OF NORTHERN COLORADO

Ted E. Mioduski, Jr., D.D.S., P.C.

Diplomate  
American College  
of Oral Implantology  
International Congress  
of Oral Implantologists  
American Board  
of Special Care Dentistry

Fellow  
American Association  
of Hospital Dentists  
Pierre Fauchard Academy

Member  
American Academy  
of Implant Dentistry  
Academy of Osseointegration  
American Dental Association  
Colorado Dental Association

Nicole M. Ferrara, D.D.S., P.C.

Member  
International Congress  
of Oral Implantologists  
Academy of General Dentistry  
American Dental Association  
Colorado Dental Association  
American Academy of  
Dental Sleep Medicine  
American Academy  
of Sleep Medicine

Ted E. Mioduski, III, D.D.S., P.C.

Member  
International Congress  
of Oral Implantologists  
American Academy  
of Implant Dentistry  
Academy of General Dentistry  
American Dental Association  
Colorado Dental Association

- General Dentistry
- Implants - Surgery  
and Prosthetics
- Esthetic Dentistry
- Oral Surgery
- I.V. Sedations
- Sleep Apnea

Sundance Professional Centre  
2975 Gunnison Drive #100  
Loveland, CO 80538  
(970) 663-1000  
(970) 663-0615 Fax

Organizations may not be  
accredited by ADA

## TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and

members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise

Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an

anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as

effective in reducing dental caries over and above what personal hygiene and we dentists can

do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply

has been safely fluoridated since 1954, and in all that time—six decades—there has never been

any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the

levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform

your advice to the city council and management about the overwhelming professional consensus—

including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that

recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment,

and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm.

That is the same target level at which Loveland had been fluoridating its water until 2010, when

the fluoridation program was unfortunately interrupted by the treatment plant expansion. It is our professional opinion, held in common by all signers, that there is no valid reason to

fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate,

at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish

a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.


Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents

of Loveland, we ask that you advise the city council and management that the water department

immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED

  
TED E. MIODUSKI III

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.


We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED



# IMPLANT & GENERAL DENTISTRY

OF NORTHERN COLORADO

Ted E. Mioduski, Jr., D.D.S., P.C.

Diplomate  
American College  
of Oral Implantology  
International Congress  
of Oral Implantologists  
American Board  
of Special Care Dentistry

Fellow  
American Association  
of Hospital Dentists  
Pierre Fauchard Academy

Member  
American Academy  
of Implant Dentistry  
Academy of Osseointegration  
American Dental Association  
Colorado Dental Association

Nicole M. Ferrara, D.D.S., P.C.

Member  
International Congress  
of Oral Implantologists  
Academy of General Dentistry  
American Dental Association  
Colorado Dental Association  
American Academy of  
Dental Sleep Medicine  
American Academy  
of Sleep Medicine

Ted E. Mioduski, III, D.D.S., P.C.

Member  
International Congress  
of Oral Implantologists  
American Academy  
of Implant Dentistry  
Academy of General Dentistry  
American Dental Association  
Colorado Dental Association

- General Dentistry
- Implants - Surgery  
and Prosthetics
- Esthetic Dentistry
- Oral Surgery
- I.V. Sedations
- Sleep Apnea

Sundance Professional Centre  
2975 Gimbal Drive #100  
Loveland, CO 80538  
(970) 663-1000  
(970) 663-0615 Fax

*Organizations may not be  
accredited by ADA.*

## TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and

members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise

Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—

including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment,

and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm.

That is the same target level at which Loveland had been fluoridating its water until 2010, when

the fluoridation program was unfortunately interrupted by the treatment plant expansion. It is our professional opinion, held in common by all signers, that there is no valid reason to

fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish

a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents

of Loveland, we ask that you advise the city council and management that the water department

immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED

*Ted E. Mioduski*

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.


We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED



**Stephen W. Ballard DDS  
2998 Ginnala Dr.  
Loveland, CO 80538  
970.669.1236**

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,



November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED

Zack Kaplan, DDS, RETIRED  
Fort Collins, CO





November 13, 2014

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

*Kathleen S. Gable DDS*

*Dr. Seager/Dr. Crane*

November 13, 2014

## TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.


We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED

*Lori M. Jimison, D.D.S.*

**Robert L. Stacey, D.D.S.**

1930 Blue Mesa Ct., Loveland, CO 80538 • (970) 667-2040 • Cell: (970) 388-4721 • E-mail: rstaceyco@pbroadband.net

November 13, 2014

**TO THE LOVELAND UTILITIES COMMISSION:**

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services.

Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

  
Robert Cartland, DDS

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit: Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services.

Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

,DMD

Stephanie Nelms, DMD  
Fort Collins, CO

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anticaries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services.

Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

Beverly G. Sleight RDH, BS  
Beverly G. Sleight RDH, BS

November 13, 2014

## TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.


We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED



Nicholas D. Shumaker, DDS, MTS  
4033 Boardwalk Dr #100  
Fort Collins, CO 80525

TO THE LOVELAND UTILITIES COMMISSION:

November 13, 2014

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.


Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED



PAM DAVIS, DDS

11/10/2014



We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of all of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED

Timberline Office Park  
970.225.9555 office

Page 2

Mark F. Orr, D.D.S., M.D.  
2014 Caribou Drive, Suite 100

970.223.2294 facsimile

Fort Collins, CO 80525

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.


Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED

Zach Kaplan, DDS, RETIRED  
FORT COLLINS, CO



TO THE LOVELAND UTILITIES COMMISSION:

November 13, 2014

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED

Nicholas D. Strumaker, DDS, yrs  
4033 Boardwalk Dr #100  
Fort Collins, CO 80525

TO THE LOVELAND UTILITIES COMMISSION:

November 13, 2014

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.


Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,

THE UNDERSIGNED

 11/9/2014

November 13, 2014

TO THE LOVELAND UTILITIES COMMISSION:

You heard from the dental community in Loveland about the importance of fluoridation at your hearing on September 30th. You heard from us through the President of the Larimer County Dental Society, Craig Seager, and from several Loveland dentists who spoke as individuals and members of the Loveland community. Now we individually address you, but with a unified voice on this matter.

As advocates for our patients, our families, our neighbors, and ourselves, we urge you to advise Loveland's officials to fluoridate our city's water supply at a level that safely maximizes an anti-caries benefit. Dental decay is the most prevalent disease among Lovelanders, greatly affecting their overall health and well-being. As you heard, water fluoridation has been reliably shown as effective in reducing dental caries over and above what personal hygiene and we dentists can do—with great cost-effectiveness.

Nationwide, water fluoridation has an excellent safety record. Locally, Loveland's water supply has been safely fluoridated since 1954, and in all that time—six decades—there has never been any identifiable medical or dental problem arising from the fluoridation. As the experts related to you on September 30th, there are absolutely no safety, public-health, or dental concerns at the levels at which Loveland's water has been fluoridated for decades.

We trust that what you heard on September 30th from national, state and local experts will inform your advice to the city council and management about the overwhelming professional consensus—including all of us signing this letter—that fluoridation of Loveland's water is vitally necessary for the oral health of *all* of Loveland's citizens.

Moreover, we urge that your advice to city officials about the level of fluoridation should be that recommended by the relevant public-health authorities which, as you know, are the Larimer County Department of Public Health, the Colorado Department of Public Health and Environment, and the US Department of Health and Human Services. Top officials of both spoke to you on September 30th, and since, indicating that the recommended level of fluoridation is 0.9 ppm. That is the same target level at which Loveland had been fluoridating its water until 2010, when the fluoridation program was unfortunately interrupted by the treatment plant expansion.

**It is our professional opinion, held in common by all signers, that there is no valid reason to fluoridate Loveland's water at any level other than 0.9 ppm, and that to consistently fluoridate, at a lower level, unjustifiably exposes many Loveland citizens, including children, to avoidable tooth decay and loss. If and when public-health authorities scientifically establish a basis for making a different recommendation, we can change our opinion. But until that occasion, we counsel strongly that the city fluoridate at 0.9 ppm.**

Therefore, for the welfare of our patients, our families, our neighbors, and indeed of all residents of Loveland, we ask that you advise the city council and management that the water department immediately resume fluoridating our city's water at the level of 0.9 ppm.

Sincerely,  
THE UNDERSIGNED

*Craig Seager*  
DDS, MSB

  
**MARK D. CRANE**  
DDS MS PC  
**CRAIG SEAGER**